

# FRESH AIR INTAKE

Made in USA



## Features

- The "Wide Mount" style is designed to cover a larger mounting area, made of durable U/V stable material that withstands sunlight and prevents cracking.
- The Fresh Air Intake is suitable for furnace rooms, utility rooms, and fireplace applications.
- It comes with a 4-inch diameter, 12-inch long snap-fit duct pipe; the 6-inch snap-fit duct pipe is not currently available.
- The expanded front face effectively covers more of the previous vent mount area, resulting in a neater installation finish.



**NO-PEST**  
*vent*

## 4 & 6 Inch Collars



White



Tan




Brown

**Styled after the "No Pest" Wide Mount Vent Cover for a consistent appearance**

4" Fresh Air Intake

Technical Product Specification




ModelNo.	Description	Color
4NPAIO- White	4" Fresh Air Intake No Pipe	White
4NPAIO- Tan	4" Fresh Air Intake No Pipe	Tan
4NPAIO- Brown	4" Fresh Air Intake No Pipe	Brown
4NPAIO- Onyx	4" Fresh Air Intake No Pipe	Onyx

Performance Data
<b>Product Use:</b> <ul style="list-style-type: none"><li>4-inch fresh air intake vents are designed to introduce outdoor air into residential or light commercial mechanical rooms, HVAC return systems, or combustion appliance enclosures</li></ul>
<b>Materials:</b> <ul style="list-style-type: none"><li>U.S.A. Sourced 20% Talc Filled Polypropylene</li><li>UV Inhibitor= 15,000 kJ/m2 before failure equal to 10-15 years in Florida sun</li><li>Melting Point: Approx 325° F (163° C)</li></ul>
General Information
<b>Benefits:</b> <ul style="list-style-type: none"><li>Molded Screen Blocks Birds and other pests from entering exhaust system. Enhances Exterior Appearance – Low-profile design provides a uniform, professional finish on the outside of the home.</li><li>Quick, Hassle-Free Install – Compatible with HVAC, ERV, HRV systems, and make-up air units for seamless integration.</li><li>Code-Ready Performance – Meets ventilation requirements for supplying fresh air to today's tighter, energy-efficient homes.</li><li>Simple Maintenance – Hinged door lifts open easily, making cleaning and inspection fast and convenient.</li><li>Eight marked mounting holes for easy installation</li><li>High Grade American Talc Filled Polypropylene</li></ul>
<b>Features:</b> <ul style="list-style-type: none"><li>Net Free Area (NFA)= 11.27 in2</li></ul>

Manufactured By:
<b>P-tec Products, Inc</b> 248 N Church St. Zeeland, MI 49464 616-772-0659 Nopestvent.com Home of the <b>NO-PEST vent</b>

6" Fresh Air Intake

Technical Product Specification



ModelNo.	Description	Color
6NPAIO- White	6" Fresh Air Intake No Pipe	White
6NPAIO- Tan	6" Fresh Air Intake No Pipe	Tan
6NPAIO- Brown	6" Fresh Air Intake No Pipe	Brown
6NPAIO- Onyx	6" Fresh Air Intake No Pipe	Onyx

Performance Data

- Product Use:**
- 6-inch fresh air intake vents are designed to introduce outdoor air into residential or light commercial mechanical rooms, HVAC return systems, or combustion appliance enclosures
- Materials:**
- U.S.A. Sourced 20% Talc Filled Polypropylene
  - UV Inhibitor= 15,000 kJ/m2 before failure equal to 10-15 years in Florida sun
  - Melting Point: Approx 325° F (163° C)

General Information

- Benefits:**
- Molded Screen Blocks Birds and other pests from entering exhaust system.
  - Enhances Exterior Appearance – Low-profile design provides a uniform, professional finish on the outside of the home.
  - Quick, Hassle-Free Install – Compatible with HVAC, ERV, HRV systems, and make-up air units for seamless integration.
  - Code-Ready Performance – Meets ventilation requirements for supplying fresh air to today's tighter, energy-efficient homes.
  - Simple Maintenance – Hinged door lifts open easily, making cleaning and inspection fast and convenient.
  - Eight marked mounting holes for easy installation
  - High Grade American Talc Filled Polypropylene

- Features:**
- Net Free Area (NFA)= 23.76 in2

Manufactured By:

**P-tec Products, Inc**  
248 N Church St.  
Zeeland, MI 49464  
616-772-0659  
Nopestvent.com  
Home of the

