



# **NO-PEST** *vent*



**New in 2024!**

The  
**METAL** *Guard*

**Finally a Steel**

# **NO-PEST** *vent*



616-772-0659



[sales@nopestvent.com](mailto:sales@nopestvent.com)



[www.nopestvent.com](http://www.nopestvent.com)





We, are excited to announce the No-Pest Vent is now available in a Powder-Coated Heavy Duty Galvalume Steel vent cover we call the

# METAL Guard

Keeping our exclusive design and superior efficiency in the No-Pest Vent, we are taking this trusted product to the next level with the new **MetalGuard**. Our **Heavy Duty Steel** material offers exceptional resistance to corrosion, weathering, and physical wear, **ensuring long-lasting performance** even in the most extreme conditions.

## Key Features of the MetalGuard Vent Cover:

- **Enhanced Durability:** The galvalume steel provides superior protection against rust and corrosion, significantly extending the vent cover's lifespan.
- **Improved Aesthetics:** The powder-coated **Semi-Gloss** finish not only adds an extra layer of durability but also gives the vent cover a **sleek, modern appearance**.
- **Efficient Design:** The vent cover maintains its renowned efficiency, promoting better airflow and reducing the risk of clogs and blockages.
- **Poly Inner Door Damper:** Equipped with a poly inner door damper, the **MetalGuard** seals the home more effectively than any other vent on the market, providing superior protection against drafts and pests.
- **Extreme Pest-Proof:** **MetalGuard** is designed to be the most pest-proof vent available, ensuring that homes remain secure from unwanted intrusions **without the need for cages or screens**.

Lowest Profile  
Design on the  
market

Exclusive  
Dual Door™  
system!

Powder-Coated  
Heavy Duty  
Galvalume Steel







# METAL Guard


Product Code	Collar Size	Packaging	Color	Pack Qty	Weight lbs.	Pack Cube	Pack Dimensions L x W x H
44pk4NPMGO-White	4"	Bulk - Cover Only	White	44	28.38	1.48	16 x 16 x 10
14pk6NPMGO-White	4"	Bulk - Cover Only	White	16	12	0.8	17 x 9 x 9
44pk6NPMGO-Tan	4"	Bulk - Cover Only	Tan	44	28.38	1.48	16 x 16 x 10
16pk6NPMGO-Tan	4"	Bulk - Cover Only	Tan	16	12	0.8	17 x 9 x 9
44pk6NPMGO-Brown	4"	Bulk - Cover Only	Brown	44	28.38	1.48	16 x 16 x 10
16pk6NPMGO-Brown	4"	Bulk - Cover Only	Brown	16	12	0.8	17 x 9 x 9
44pk6NPMGO-Onyx	4"	Bulk Cover Only	Onyx	44	28.38	1.48	16 x 16 x 10
16pk6NPMGO-Onyx	4"	Bulk - Cover Only	Onyx	16	12	0.8	17 x 9 x 9



**Available in various colors.**





White Tan Brown Onyx





# NO-PEST vent®

## QUICK collar®



- ✓ Snaps onto the back of any No-Pest Vent
- ✓ Adds 1¼" of collar for a perfect fit to even 26ga 4" ducting
- ✓ No more crimping or resizing — just snap, connect, and go
- ✓ Installs are faster, cleaner, and more professional
- ✓ Best for Installs when reusing existing Duct

Product Code	Packaging	Color	Pack Qty	Pack Dimensions L x W x H	Pack Weight.
33pkNPQC	Bulk - Collar Only	Black	33	17x9x9	1.67 lb



616-772-0659



[sales@nopestvent.com](mailto:sales@nopestvent.com)

# WIDE MOUNT

Made in USA Patented 

**NO-PEST**  
*vent*



Dual door design  
KEEPS PESTS  
OUT

## BENEFITS THAT OTHERS CANNOT PROVIDE

### Closed position (not in operation)

- Birds and other pests cannot enter the “Exclusive Dual Door” design. Reduces energy robbing drafts from entering the residence through the vent. Clean look, fully closed design, no place for bees or wasps to nest.

### Maintenance - Annual duct cleaning recommended for safety

- Ducts can be cleaned with lint brush from either side.
- Makes multi-story cleaning possible from the inside without using ladders.
- Tough U/V resistant plastic resists sunlight and cracking.

### Open position (in operation)

- Most efficient air flowing vent in the industry for reduced clothes drying time. No screen or guard to collect lint, plug-up and reduce air flow efficiency. Reduces dryer fire hazard caused by lint buildup.

### Compare the No Pest Vent to the competition

- Vents with one-piece flap or 2 to 4 louvers
- Opening with their beaks, birds quickly build a nest for a well heated home
- Lint buildup causes unreliable louver closure allowing drafts and easier entry for pests
- Vents with screen, floating shuttle, or add-on guards for existing vents
- Require weekly or monthly cleaning of lint buildup
- Lint buildup restricts flow which reduces dryer efficiency and creates a fire hazard

**4 & 6 Inch  
Collars**





# Most Efficient Maintenance Free Vents on the market



## Features

- Our most popular product for replacement, but can be used for new Installation as well
- The larger face plate covers more of the former vent mounting area for a cleaner finished install
- Tough U/V stable material resists sunlight and cracking.
- The Wide Mount vent can be used for any dryer, bathroom, or range exhaust application
- Available with optional 4" diameter, 12" long snap fit duct pipe

## STANDARD COLORS



Brown



Tan



White

## CUSTOM COLORS



Onyx



Grey





Deep Ocean Blue



Slate Grey

## 4 & 6 Inch Collars



Product Code	Collar Size	Packaging	Color	Pack Qty	Pack Weight.	Pack Cube	Pack Dimensions L x W x H
72pkNPWMO-White	4"	Bulk - Cover Only	White	72	22	2.95	28 x 13 x 14
40pkNPWMO-White	4"	Bulk - Cover Only	White	40	13	1.48	16 x 16 x 10
14pkNPWMO-White	4"	Bulk - Cover Only	White	14	5	0.8	17 x 9 x 9
72pkNPWMO-Tan	4"	Bulk - Cover Only	Tan	72	22	2.95	28 x 13 x 14
40pkNPWMO-Tan	4"	Bulk - Cover Only	Tan	40	13	1.48	16 x 16 x 10
14pkNPWMO-Tan	4"	Bulk - Cover Only	Tan	14	5	0.8	17 x 9 x 9
72pkNPWMO-Brown	4"	Bulk - Cover Only	Brown	72	22	2.95	28 x 13 x 14
40pkNPWMO-Brown	4"	Bulk - Cover Only	Brown	40	13	1.48	16 x 16 x 10
14pkNPWMO-Brown	4"	Bulk - Cover Only	Brown	14	5	0.8	17 x 9 x 9
72pkNPWMO-WoodStock	4"	Bulk - Cover Only	Wood Stock Brown	72	22	2.95	28 x 13 x 14
40pkNPWMO-WoodStock	4"	Bulk - Cover Only	Wood Stock Brown	40	13	1.48	16 x 16 x 10
14pkNPWMO-WoodStock	4"	Bulk - Cover Only	Wood Stock Brown	14	5	0.8	17 x 9 x 9
14pkNPWMO-Onyx	4"	Bulk - Cover Only	Onyx	14	5	0.8	17 x 9 x 9
72pkNPWMO-Onyx	4"	Bulk - Cover Only	Onyx	72	22	2.95	28 x 13 x 14
40pkNPWMO-Onyx	4"	Bulk - Cover Only	Onyx	40	13	1.48	16 x 16 x 10
72pkNPWMO-SlateGrey	4"	Bulk - Cover Only	Slate Grey	72	22	2.95	28 x 13 x 14
40pkNPWMO-SlateGrey	4"	Bulk - Cover Only	Slate Grey	40	13	1.48	16 x 16 x 10
14pkNPWMO-SlateGrey	4"	Bulk - Cover Only	Slate Grey	14	5	0.8	17 x 9 x 9
72pkNPWMO-LightGrey	4"	Bulk - Cover Only	Light Grey	72	22	2.95	28 x 13 x 14
40pkNPWMO-LightGrey	4"	Bulk - Cover Only	Light Grey	40	13	1.48	16 x 16 x 10
14pkNPWMO-LightGrey	4"	Bulk - Cover Only	Light Grey	14	5	0.8	17 x 9 x 9
72pkNPWMO-DeepOcean	4"	Bulk - Cover Only	Deep Ocean Blue	72	22	2.95	28 x 13 x 14
40pkNPWMO-DeepOcean	4"	Bulk - Cover Only	Deep Ocean Blue	40	13	1.48	16 x 16 x 10
14pkNPWMO-DeepOcean	4"	Bulk - Cover Only	Deep Ocean Blue	14	5	0.8	17 x 9 x 9



White



Tan



Woodstock  
Brown



Brown



Deep Ocean  
Blue



Slate Grey



Grey




Onyx



Made in USA

# WIDE MOUNT WITH METAL

Product Code	Collar Size	Packaging	Color	Pack Qty	Weight lbs.	Pack Cube	Pack Dimensions L x W x H
60pkNPWM-White	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	White	60	28	2.95	28 x 13 x 14
28pkNPWM-White	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	White	28	14	1.48	16 x 16 x 10
60pkNPWM-Tan	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Tan	60	28	2.95	28 x 13 x 14
28pkNPWM-Tan	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Tan	28	14	1.48	16 x 16 x 10
60pkNPWM-Brown	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Brown	60	28	2.95	28 x 13 x 14
28pkNPWM-Brown	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Brown	28	14	1.48	16 x 16 x 10
60pkNPWM-WoodStock	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Wood Stock Brown	60	28	2.95	28 x 13 x 14
28pkNPWM-WoodStock	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Wood Stock Brown	28	14	1.48	16 x 16 x 10
28pkNPWM-Onyx	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Onyx	28	14	1.48	16 x 16 x 10
60pkNPWM-Onyx	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Onyx	60	28	2.95	28 x 13 x 14
60pkNPWM-SlateGrey	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Slate Grey	60	28	2.95	28 x 13 x 14
28pkNPWM-SlateGrey	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Slate Grey	28	14	1.48	16 x 16 x 10
60pkNPWM-LightGrey	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Light Grey	60	28	2.95	28 x 13 x 14
28pkNPWM-LightGrey	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Light Grey	28	14	1.48	16 x 16 x 10
60pkNPWM-DeepOcean	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Deep Ocean Blue	60	28	2.95	28 x 13 x 14
28pkNPWM-DeepOCean	4"	Bulk - Cover, 12" Duct Tube, Inner Trim Ring - Unassembled	Deep Ocean Blue	28	14	1.48	16 x 16 x 10





## 6" WIDE MOUNT

Product Code	Collar Size	Packaging	Color	Pack Qty	Weight lbs.	Pack Cube	Pack Dimensions L x W x H
46pk6NPWMO-White	6"	Bulk - Cover Only	White	46	22	2.78	20 x 20 x 12
14pk6NPWMO-White	6"	Bulk - Cover Only	White	14	7	0.923	16 x 10 x 10
46pk6NPWMO-Tan	6"	Bulk - Cover Only	Tan	46	22	2.78	20 x 20 x 12
14pk6NPWMO-Tan	6"	Bulk - Cover Only	Tan	14	7	0.923	16 x 10 x 10
46pk6NPWMO-Brown	6"	Bulk - Cover Only	Brown	46	22	2.78	20 x 20 x 12
14pk6NPWMO-Brown	6"	Bulk - Cover Only	Brown	14	7	0.923	16 x 10 x 10




Brown



Tan



White



# J-BLOCK MOUNT



- Dual door design  
**KEEPS PESTS OUT!**
- Most Efficient
- Maintenance Free
- Vents on the Market



Made in USA Patented



## Exclusive Benefits Not Found Anywhere Else

### CLOSED POSITION (NOT IN OPERATION)

- Birds and other pests cannot enter the "Exclusive Dual Door" design.
- Reduces energy robbing drafts from entering the residence through the vent. Clean look, fully closed design, no place for bees or wasps to nest.

### OPEN POSITION (IN OPERATION)


- Most efficient air flow vent in the industry for reduced clothes drying time.
- No screen or guard to collect lint, plug-up and reduce air flow efficiency Reduces dryer fire hazard caused by lint buildup.

### MAINTENANCE - ANNUAL DUCT CLEANING RECOMMENDED FOR SAFETY

- Ducts can be cleaned with lint brush from either side.
- Makes multi-story installation cleaning possible from the inside without using ladders.
- Tough U/V resistant plastic resists sunlight and cracking.

### J-Block or Wide Mount No-Pest Vent™ vs. Other Exhaust Vents

Air Flow Efficiency





## FEATURES

- J-Block accommodates 1/2 to 1 inch thick siding.
- 4 inch diameter 12 inch optional long duct pipe
- Used for clothes dryer, bathroom and stove/range hood exhaust vents



## COMPARE THE NO PEST VENT TO OUR COMPETITION

Vents with one-piece flap or 2 to 4 louvers.


- Opening with their beaks, birds quickly build a nest for a well heated home.
- Lint buildup causes unreliable louver closure allowing drafts and easier entry for birds.
- Vents with screen, floating shuttle, or add-on guards for existing vents.
- Require weekly or monthly cleaning of lint buildup. Lint buildup restricts flow which reduces dryer efficiency and creates a fire hazard.



White NPJW



Tan NPJT



Brown NPJB




**NO-PEST**  
vent

504.4 Exhaust installation. Dryer exhaust ducts for clothes dryers shall terminate on the outside of the building and shall be equipped with a backdraft damper. **Screens shall not be installed at the duct termination.** Ducts shall not be connected or installed with sheet metal screws or other fasteners that will obstruct the exhaust flow. Clothes dryer exhaust ducts shall not be connected to a vent connector, vent or chimney. Clothes dryer exhaust ducts shall not extend into or through ducts or plenums.




# J-BLOCK MOUNT


Product Code	Collar Size	Packaging	Color	Pack Qty	Weight lbs.	Pack Cube	Pack Dimensions L x W x H
<b>36pkNPJB-WHITE</b>	4"	Bulk – Cover, Nail Flange, 12" Duct Tube, Inner Trim Ring –Unassembled	<b>White</b>	36	23	2.89	32 x 13 x 12
<b>36pkNPJBO-White</b>	4"	Bulk – Cover & Nail Flange	<b>White</b>	36	17	2.95	28 x 13 x 14
<b>16pkNPJB-WHITE</b>	4"	Bulk – Cover, Nail Flange, 12" Duct Tube, Inner Trim Ring – Unassembled	<b>White</b>	16	11	1.48	16 x 16 x 10
<b>20pkNPJBO-White</b>	4"	Bulk – Cover & Nail Flange	<b>White</b>	20	10	1.48	16 x 16 x 10
<b>36pkNPJB-Tan</b>	4"	Bulk – Cover, Nail Flange, 12" Duct Tube, Inner Trim Ring – Unassembled	<b>Tan</b>	36	23	2.89	32 x 13 x 12
<b>36pkNPJBO-Tan</b>	4"	Bulk – Cover & Nail Flange	<b>Tan</b>	36	17	2.95	28 x 13 x 14
<b>16pkNPJB-Tan</b>	4"	Bulk – Cover, Nail Flange, 12" Duct Tube, Inner Trim Ring – Unassembled	<b>Tan</b>	16	11	1.48	16 x 16 x 10
<b>20pkNPJBO-Tan</b>	4"	Bulk – Cover & Nail Flange	<b>Tan</b>	20	10	1.48	16 x 16 x 10
<b>36pkNPJB-Brown</b>	4"	Bulk – Cover, Nail Flange, 12" Duct Tube, Inner Trim Ring – Unassembled	<b>Brown</b>	36	23	2.89	32 x 13 x 12
<b>36pkNPJBO-Brown</b>	4"	Bulk – Cover & Nail Flange	<b>Brown</b>	36	17	2.95	28 x 13 x 14
<b>16pkNPJB-Brown</b>	4"	Bulk – Cover, Nail Flange, 12" Duct Tube, Inner Trim Ring –Unassembled	<b>Brown</b>	16	11	1.48	16 x 16 x 10
<b>20pkNPJBO-Brown</b>	4"	Bulk – Cover & Nail Flange	<b>Brown</b>	20	10	1.48	16 x 16 x 10



Tan



White



Brown



# FRESH AIR INTAKE

Made in USA



## Features

- The "Wide Mount" style is designed to cover a larger mounting area, made of durable U/V stable material that withstands sunlight and prevents cracking.
- The Fresh Air Intake is suitable for furnace rooms, utility rooms, and fireplace applications.
- It comes with a 4-inch diameter, 12-inch long snap-fit duct pipe; the 6-inch snap-fit duct pipe is not currently available.
- The expanded front face effectively covers more of the previous vent mount area, resulting in a neater installation finish.



**NO-PEST**  
*vent*

## 4 & 6 Inch Collars



White



Tan



Brown

**Styled after the "No Pest" Wide Mount  
Vent**

**Cover for a consistent appearance**



# 4" INCH FRESH AIR

Product Code	Collar Size	Packaging	Color	Pack Qty	Weight lbs.	Pack Cube	Pack Dimensions L x W x H
72pkNPAIO-White	4"	Bulk - Fresh Air Intake Only	White	72	22	2.95	28 x 13 x 14
60pkNPAI-White	4"	Bulk - Fresh Air Intake, 12" Duct Tube, Inner Trim Ring - Unassembled	White	60	28	2.95	28 x 13 x 14
40pkNPAIO-White	4"	Bulk - Fresh Air Intake Only	White	40	13	1.48	16 x 16 x 10
28pkNPAI-White	4"	Bulk - Fresh Air Intake, 12" Duct Tube, Inner Trim Ring - Unassembled	White	28	14	1.48	16 x 16 x 10
14pkNPAIO-White	4"	Bulk - Fresh Air Intake Only	White	14	5	0.8	17 x 9 x 9
72pkNPAIO-Tan	4"	Bulk - Fresh Air Intake Only	Tan	72	22	2.95	28 x 13 x 14
60pkNPAI-Tan	4"	Bulk - Fresh Air Intake, 12" Duct Tube, Inner Trim Ring - Unassembled	Tan	60	28	2.95	28 x 13 x 14
40pkNPAIO-Tan	4"	Bulk - Fresh Air Intake Only	Tan	40	13	1.48	16 x 16 x 10
28pkNPAI-Tan	4"	Bulk - Fresh Air Intake, 12" Duct Tube, Inner Trim Ring - Unassembled	Tan	28	14	1.48	16 x 16 x 10
14pkNPAIO-Tan	4"	Bulk - Fresh Air Intake Only	Tan	14	5	0.8	17 x 9 x 9
72pkNPAIO-Brown	4"	Bulk - Fresh Air Intake Only	Brown	72	22	2.95	28 x 13 x 14
60pkNPAI-Brown	4"	Bulk - Fresh Air Intake, 12" Duct Tube, Inner Trim Ring - Unassembled	Brown	60	28	2.95	28 x 13 x 14
40pkNPAIO-Brown	4"	Bulk - Fresh Air Intake Only	Brown	40	13	1.48	16 x 16 x 10
28pkNPAI-Brown	4"	Bulk - Fresh Air Intake, 12" Duct Tube, Inner Trim Ring - Unassembled	Brown	28	14	1.48	16 x 16 x 10
14pkNPAIO-Brown	4"	Bulk - Fresh Air Intake Only	Brown	14	5	0.8	17 x 9 x 9




White



Tan



Brown





# 6" INCH FRESH AIR

Product Code	Collar Size	Packaging	Color	Pack Qty	Pack Wt.	Pack Cube	Pack Dimensions L x W x H
46pk6NPAI-White	6"	Bulk - Fresh Air Intake Only	White	46	22	2.78	20 x 20 x 12
14pk6NPAI-White	6"	Bulk - Fresh Air Intake Only	White	14	7	0.923	16 x 10 x 10
46pk6NPAI-Tan	6"	Bulk - Fresh Air Intake Only	Tan	46	22	2.78	20 x 20 x 12
14pk6NPAI-Tan	6"	Bulk - Fresh Air Intake Only	Tan	14	7	0.923	16 x 10 x 10
46pk6NPAI-Brown	6"	Bulk - Fresh Air Intake Only	Brown	46	22	2.78	20 x 20 x 12
14pk6NPAI-Brown	6"	Bulk - Fresh Air Intake Only	Brown	14	7	0.923	16 x 10 x 10


## Features & Specs

- 6" diameter
- 6": 8 7/8" width X 9 1/2" height
- Styled like the Wide Mount No-Pest Vent
- UV resistant plastic
- Easy installation
- Low maintenance
- Meets US Building Codes
- Made in the USA
- 1 year manufacturer warranty




The Fresh Air Intake can be used for any furnace room, utility room, and fireplace applications.

- Keep out birds, rodents, scorpions and more!
- Installs in minutes, cleans in seconds



# LOW PROFILE

Made in USA Patented 



## Most Efficient Maintenance Free Vents on the Market

**Attention!** Face plate must be installed flush so that doors close completely when not in use. Uneven installation will create a poor seal for doors.

**NO-PEST**  
*vent*

## BENEFITS THAT OTHERS CANNOT PROVIDE

### Closed position (not in operation)

- Birds and other pests cannot enter the “Exclusive Dual Door” design.
- Reduces energy robbing drafts from entering the residence through the vent.
- Clean look, fully closed design, no place for bees or wasps to nest.

### Maintenance - Annual duct Cleaning Recommended

- Ducts can be cleaned with lint brush from either side.
- Makes multi-story installation cleaning possible from the inside without using ladders.
- Tough U/V resistant plastic resists sunlight and cracking.

### Features


- Includes 4 inch diameter 12 inch long duct pipe.
- Used for clothes dryer, bathroom and stove/range hood exhaust vents.

### Open position (in operation)



- Most efficient air flow vent in the industry for reduced clothes drying time.
- No screen or guard to collect lint, plug-up and reduce air flow efficiency.
- Reduces dryer fire hazard caused by lint build- up.

### Compare the No Pest Vent to our Competition

- Vents with one-piece flap or 2 to 4 louvers.
- Opening with their beaks, birds quickly build a nest for a well heated home.
- Lint buildup causes unreliable louver closure allowing drafts and easier entry for birds.
- Vents with screen, floating shuttle, or add-on guards for existing vents. Require weekly or monthly cleaning of lint buildup.
- Lint buildup restricts flow which reduces dryer efficiency and creates a fire hazard.



**Attention!** Face plate must be installed flush so that doors close completely when not in use. Uneven installation will create a poor seal for doors



Available in three colors



White



Tan



Brown

2009 INTERNATIONAL MECHANICAL  
CODE®

**504.4 Exhaust installation.** Dryer exhaust ducts for clothes dryers shall terminate on the outside of the building and shall be equipped with a backdraft damper. **Screens shall not be installed at the duct termination.** Ducts shall not be connected or installed with sheet metal screws or other fasteners that will obstruct the exhaust flow. Clothes dryer exhaust ducts shall not be connected to a vent connector, vent or chimney. Clothes dryer exhaust ducts shall not extend into or through ducts or plenums.






P-tec Products, Inc.  
P 616-772-0659  
Sales@nopestvent.com  
www.nopestvent.com



# LOW PROFILE

Product Code	Collar Size	Packaging	Color	Pack Qty	Pack Wt. ( lbs )	Pack Cube	Pack Dimensions L x W x H
72pk4NPLP-White	4"	Bulk - Cover, 12' Duct Tube, Inner Trim Ring - Unassembled	White	72	28	2.95	28 x 13 x 14
72pk4NPLPO-White	4"	Bulk - Cover Only	White	72	16	2.95	28 x 13 x 14
26pk4NPLP-White	4"	Bulk - Cover, 12' Duct Tube, Inner Trim Ring - Unassembled	White	26	10	1.16	11 x 13 x 14
24pk4NPLPO-White	4"	Bulk - Cover Only	White	24	5	0.58	13 x 11 x 7
72pk4NPLP-Tan	4"	Bulk - Cover, 12' Duct Tube, Inner Trim Ring - Unassembled	Tan	72	28	2.95	28 x 13 x 14
72pk4NPLPO-Tan	4"	Bulk - Cover Only	Tan	72	16	2.95	28 x 13 x 14
26pk4NPLP-Tan	4"	Bulk - Cover, 12' Duct Tube, Inner Trim Ring - Unassembled	Tan	26	10	1.16	11 x 13 x 14
24pk4NPLPO-Tan	4"	Bulk - Cover Only	Tan	24	5	0.58	13 x 11 x 7
72pk4NPLP-Brown	4"	Bulk - Cover, 12' Duct Tube, Inner Trim Ring - Unassembled	Brown	72	28	2.95	28 x 13 x 14
72pk4NPLPO-Brown	4"	Bulk - Cover Only	Brown	72	16	2.95	28 x 13 x 14
26pk4NPLP-Brown	4"	Bulk - Cover, 12' Duct Tube, Inner Trim Ring - Unassembled	Brown	26	10	1.16	11 x 13 x 14
24pk4NPLPO-Brown	4"	Bulk - Cover Only	Brown	24	5	0.58	13 x 11 x 7



# 4" SOFFIT/EAVE EXHAUST VENT

Dual door design  
**KEEPS PESTS  
OUT!**

Made in USA Patented Pending



Safer - More Efficient  
Easily Pays for itself  
in Energy Savings



Most Efficient  
Maintenance Free  
Vents on the Market

## BENEFITS OTHERS CANNOT PROVIDE!

### Closed position (not in operation)

- Birds and other pests cannot enter the "Exclusive Dual Door" design.
- Reduces energy robbing drafts from entering the residence through the vent.
- Clean look, fully closed design, no place for bees or wasps to nest.

### Maintenance - Annual duct cleaning recommended for safety

- Ducts can be cleaned with lint brush from either side.
- Removable bottom panel for easy duct cleaning without removing the entire vent from the soffit & duct.
- Makes multi-story installation cleaning possible from the inside without using ladders.
- Tough U/V resistant plastic resists sunlight and cracking.

**04.4 Exhaust installation.** Dryer exhaust ducts for clothes dryers shall terminate on the outside of the building and shall be equipped with a backdraft damper. **Screens shall not be installed at the duct termination.** Ducts shall not be connected or installed with sheet metal screws or other fasteners that will obstruct the exhaust flow. Clothes dryer exhaust ducts shall not be connected to a vent connector, vent or chimney. Clothes dryer exhaust ducts shall not extend into or through ducts or plenums.

### Open position (in operation)

- Most efficient air flow vent in the industry for reduced clothes drying time.
- No screen or guard to collect lint, plug-up and reduce air flow efficiency.
- Reduces dryer fire hazard caused by lint build-up.

### Compare the No Pest Vent to our competition

- Vents with one-piece flap or 2 to 4 louvers. Opening with their beaks, birds quickly build a nest for a well heated home.
- Lint buildup causes unreliable louver closure allowing drafts and easier entry for birds.
- Vents with screen, floating shuttle, or add on guards for existing vents.
- Require weekly or monthly cleaning of lint buildup.
- Lint buildup restricts flow which reduces dryer efficiency and creates a fire hazard.
- Used for clothes dryer, bathroom and stove/range hood exhaust vents.


# UNDER EAVE MOUNT WITH DUAL EXIT AND DUAL DOORS

Made in USA Patented Pending



## Allows high air flow yet keeps Pests and Drafts out

- Tough U/V stable material resists sunlight and cracking.
- The Soffit/Eave vent can be used for any dryer, bathroom or range exhaust fan application.



## Features

- Removable bottom panel for easy duct cleaning without removing the entire vent from the soffit & duct.
- Available with 4 inch diameter, 12 inch long snap fit duct pipe
- Used for clothes dryer, bathroom and stove/range hood exhaust vents.
- Fasten vent to building with screws using provided mounting holes.

**Most Efficient  
Maintenance Free  
Vents on the  
Market**

### Dual Door design



**Keeps Pests Out!**

### Removable Lower Plate



**for easy duct cleaning**

### No-Pest Vent



**Soffit**



## 4" SOFFIT/EAVE EXHAUST VENT

Product Code	Collar Size	Packaging	Color	Pack Qty	Pack Wt.	Pack Cube	Pack Dimensions L x W x H
12pk4NPSEO-White	4"	Bulk - Cover Only	White	12	6	1.48	16 x 16 x 10
12pk4NPSEO-Tan	4"	Bulk - Cover Only	Tan	12	6	1.48	16 x 16 x 10
12pk4NPSEO-Brown	4"	Bulk - Cover Only	Brown	12	6	1.48	16 x 16 x 10

